



MATERIAL SAFETY DATA SHEET	Create	16-04-2007
	Updated	
CD 26 Repair mortar for concrete, coarse-grained	Revision No	1
	Page	1/4

1. Identyfikacja preparatu, Identyfikacja dystrybutora

Trade name: CD 26 Repair mortar for concrete, coarse-grained

Application of the substance/preparation: Ceresit CD 26 is a coarse-grained one component filler to smooth out concrete and reinforced concrete, to fill losses and damaged places. The range of application is from 30 to 100 mm

Manufacturer: Henkel Polska Sp. z o.o.
Ul. Domaniewska 41
02-672 WARSZAWA
tel. +48 (prefix) 22 56-56-300
fax +48 (prefix) 22 56-56-333
tel. alarm. 0 697 716 333

2. Skład/ Informacje o składnikach:

Numbers ; CAS; EINECS; Index	Designation of the component	Concentration	Classification / symbols and phrases R /
CAS; 65997-15-1 EINECS; 266-043-4	Portland cement	< 30 %	X _i R 36/37/38-43

3. Identyfikacja zagrożeń:

Warning symbol; X_i - irritant

Type of risk for man and the environment;

R 36/37/38; irritating for eyes, respiration and skin.

R 43; it may cause allergy in contact with skin.

4. First –aid measures:

- after inhalation: remove a person from the dust contaminated zone, and then seek medical advice;
- after skin contact: rinse with running water;
- after eye contact: rinse immediately with plenty of running water (for 10 minutes), then seek medical advice;
- after ingestion: rinse mouth and throat with running water, drink a lot of water, seek medical advice.

5. Fire-fighting measures:

Extinguishing media: traditional extinguishing media to be used (splayed steam of water, extinguishing powder, foam, carbon dioxide) depending on the area in a blaze and materials used there.

Extinguishing media which must not be used due to safety reasons: NA



MATERIAL SAFETY DATA SHEET	Create	16-04-2007
	Updated	
CD 26 Repair mortar for concrete, coarse-grained	Revision No	1
	Page	2/4

Special threats in case of fire: they do not appear

Protection equipment for fire-fighters: traditional personal protection means.

6. Accidental release measures:

Personal precautions: Avoid dusting and inhaling. Avoid any contact with skin and eyes.

Environmental protection: Do not empty to surface water and ground water as well as drainage installations. Adequate authorities should be informed in case of the product release to water or sewage systems.

Cleaning methods:

Remove mechanically, follow point 13.

7. Handling and storage:

Precautions: Avoid dusting. Avoid having any contacts with eyes and skin. Use individual protective measures in compliance with point 8..

Handling and storing conditions: Store and handle the products on pallets in dry conditions and original undamaged packaging. Prevent any contacts with food and other consumables (coffee, tea, tobacco).

8. Exposure controls/personal protection:

Exposure control:

Portland cement

The highest dust concentration permitted:

- total dust 6.0 mg/m³
- respiration dust 2.0 mg/m³

Personal protection means:

Avoid having contacts with eyes and skin, do not eat, do not drink, do not smoke during the work. Wash your hands before the break and after the end of work

respiratory track protection - use anti-dust masks in case of dusting.

skin protection – stained or dirty clothes should be removed, protective clothes or special uniform.

hand - protective gloves. Follow the guidelines defined by the manufacturer

eye protection - protective glasses, or protective mask

9. Physical and chemical properties:

- | | |
|------------------------------|----------------------------------|
| State of concentration | - grey powder |
| Odour | - lack |
| PH | - approx. 12 |
| Ignition of temperature | - inflammable substance |
| Temperature of self ignition | - inflammable substance |
| Solubility | - practically insoluble in water |
| Bulk density | - approx. 1.5 kg/dm ³ |



MATERIAL SAFETY DATA SHEET	Create	16-04-2007
	Updated	
CD 26 Repair mortar for concrete, coarse-grained	Revision No	1
	Page	3/4

10. Stability and reactivity:

Stable substance in normal conditions.

It slowly reacts with water during a hydration process without emitting any risky products.

It hardens in contact with moisture.

11. Toxicological information:

general: the product irritates skin: the product irritates eye mucous membrane.

According to the status of our current knowledge there should be no damage if it is applied in compliance with the regulations and safety handling of the product.

Acute toxicology: contact with eye: strong irritation

12. Ecological information:

The product is not biodegradable.

Do not empty into sewage, soil and ground water

13. Waste proceedings:

Product: Code and name of the waste- 10 13 06 Particles and dust (with 10 13 12 and 10 13 13 excluded)

It is suggested that the waste should be collected to a single container and transferred to the company which has the required waste management licence and with which the recycle or disposal method should be determined.

Packaging: Code and name of the waste - 15 01 01 Paper and cardboard packaging.

Only empty packaging with a trace of dry product could be subject to recycling

14. Transportation information:

The product is not hazardous according to: RID/ADR, GGVS/GGVE, ADNR, IMDG, ICAO-TI/IATA-DGR

15. Regulation information:

Information stated on the label:

Warning sign



Xi – irritant product

It contains Portland cement. It can cause an allergic reaction.

Chromium VI – below 2 ppm till the sell-by-date.

R 36/37/38; irritating to eyes, respiratory system and skin.

R 43 - it can cause allergy in the case of contact with skin;

S 2 - keep out of the reach of children

S 22- do not breathe dust;

S 24- avoid contact with skin;



MATERIAL SAFETY DATA SHEET	Create	16-04-2007
	Updated	
CD 26 Repair mortar for concrete, coarse-grained	Revision No	1
	Page	4/4

S 26- in case of contact with eyes rinse immediately with plenty of water and seek medical advice;

S 46- in case of swallowing, seek medical advice – show the packaging or the label.

Legal basis: Resolution in respect of the criteria and ways of classifying hazardous substances and preparations issued by the Minister of Health on 2nd September 2003 (Journal of Laws No 171 item 1666 dated on 2003) as well as Resolution in respect of packaging designation for hazardous substances and preparations issued by the Minister of Health on 2nd September 2003 (Journal of Laws No 173 item 1679 dated on 2003).

This data sheet has been prepared in compliance with Resolution in respect of description of hazardous substances and hazardous preparations issued by the Minister of Health on 14th December 2004 (Journal of Laws No 2 item 8 dated on 2005).

16. Other information:

The above mentioned information is based on our current level of knowledge, however, we cannot take responsibility for any damage and loss which may result from any inadequate application of the product. To prepare this material safety data sheet we took into consideration all adequate applications of the product, therefore each user takes responsibility for any different application of this product

Full text of the R-phrases

R 36/37/38; irritating to eyes, respiratory system and skin.

R 43 - it can cause allergy in the case of contact with skin;